## How to install USB driver (For Windows PC)

- 1: Disconnect the USB cable from your PC. The driver software cannot be installed correctly when RMP-USB1 and the PC are connected.
- 2: Download the USB driver from the product page of our homepage RMP-DAC1.
- 3: Double-click the icon below to start the installation.



4: When the following setup wizard is displayed, click "Next>".

🖻 Setup	- 🗆 X
JAVS HIFI AUDIO	Welcome to the JAVS HIFI AUDIO v4.13.0 Setup Wizard
	This wizard will guide you through the installation of JAVS HIFI AUDIO v4.13.0. It is recommended that you close all other applications before starting Setup. This will make it possible to update relevant system files without having to reboot your computer. Click Next to continue.
	Next > Cancel

## 5: Click "Install".

Setup		_		×
Choose Install Location				
Choose the folder in which to install JAVS HIFI AUDIO v4.	13.0.			Þ
Setup will install JAVS HIFI AUDIO v4. 13.0 in the following folder, dick Browse and select another folder. Click Install	) folder. To in: to start the ir	stall in a d nstallatior	lifferent 1.	:
Destination Folder				
		Deer		
		BLOW	/se	
Space required: 4.1MB Space available: 562.3GB				
< Bad	k Inst	tall	Car	ncel

## 6:Click "Next>".

Setup	_		$\times$
Installation Complete			.61
Setup was completed successfully.			Þ
			^
Preinstalling drivers.			
This may take some time to complete. Please wait			
Preinstallation was successful. Click Next to continue.			
			×
< Back Next	>	Car	ncel
< DACK NEXT	>	Cal	icei



7: Click "Finish" when the figure below is displayed.

8: Click "はい(Y)" to finish this wizard.

